





## Supply information [Features of cutter blade]


\*When it is clicked, the illustrate will be enlarged.

Product Name	Product code	Offset value
Swivel Blade for vinyl sheet	SPB-0001	0.3mm
 <p><b>[Feature]</b> The standard blade for cutting adhesive-backed sheet like vinyl. The blade is hardly broken while higher cutting pressure is required.</p> <p><b>[Corresponding machine]</b> CG-FX Series, CG-FXII Series, CG-LX Series, CG-EX Series, CG-60SR, CG-60st, CG90AP, CG-SD Series, CG-45/50/61/101,CF/CF2 Series,CFR-1220</p>		


Product Name	Product code	Offset value
Swivel Blade for small letters	SPB-0003	0.15mm
 <p><b>[Feature]</b> The blade is for cutting small letters of adhesive-backed sheets.</p> <p><b>[Corresponding machine]</b> CG-FX Series, CG-FXII Series, CG-LX Series, CG-EX Series, CG-60SR, CG-60st, CG90AP, CG-SD Series, CG-45/50/61/101,CF/CF2 Series,CFR-1220</p>		


Product Name	Product code	Offset value
Swivel Blade for rubber sheet	SPB-0005	0.75mm
 <p><b>[Feature]</b> The blade for cutting rubber sheet up to 0.8mm thickness. Backing sheet of the rubber should be hard.</p> <p><b>[Corresponding machine]</b> CG-FX Series, CG-FXII Series, CG-LX Series, CG-EX Series, CG-60SR, CG-60st, CG90AP, CG-SD Series, CG-45/50/61/101,CF/CF2 Series,CFR-1220</p>		


Product Name	Product code	Offset value
Swivel Blade for reflecting sheet	SPB-0006	0.75mm
 <p><b>[Feature]</b> The blade is for cutting reflecting sheet. As it is coated by titanium, it has high durability.</p> <p><b>[Corresponding machine]</b> CG-FX Series, CG-FXII Series, CG-LX Series, CG-EX Series, CG-60SR, CG-60st, CG90AP, CG-SD Series, CG-45/50/61/101,CF/CF2 Series,CFR-1220</p>		


Product Name	Product code	Offset value
Swivel Blade for fluorescent sheet	SPB-0007	0.5mm
 <p><b>[Feature]</b> The blade for fluorescent sheet.</p> <p><b>[Corresponding machine]</b> CG-FX Series, CG-FXII Series, CG-LX Series, CG-EX Series, CG-60SR, CG-60st, CG90AP, CG-SD Series, CG-45/50/61/101,CF/CF2 Series,CFR-1220</p>		


Product Name	Product code	Offset value

Swivel Blade for PVC with low-pressure	SPB-0030	0.3mm
	<b>[Feature]</b> The standard blade for cutting adhesive-backed sheet vinyl. Cutting pressure can be set lower than SPB-0001. The blade is a standard item with CG Series.	
	<b>[Corresponding machine]</b> CG-FX Series, CG-FXII Series, CG-LX Series, CG-EX Series, CG-60SR, CG-60st, CG90AP, CG-SD Series, CG-45/50/61/101,CF/CF2 Series,CFR-1220	

Product Name	Product code	Media thickness
High-speed steel blade 30°	SPB-0043	Up to 5mm
High-speed steel blade 45°	SPB-0044	Up to 2mm
	<b>[Feature]</b> The blades are suitable to cut relatively soft materials up to 5 mm.	
	<b>[Materials]</b> Natural rubber, Industrial rubber, Rubber cork,(Composite)leather, PVC, Polyethylene film, Softron, Neo sponge, Carbon containing materials, Felt, and campus.	
	<b>[Corresponding machine]</b> CF/CF2 Series, and CFR-1220/CFS-1313	

Product Name	Product code	Media thickness
Carbide blade 30°	SPB-0045	Up to 5mm
Carbide blade 45°	SPB-0046	Up to 2mm
	<b>[Feature]</b> The blades are suitable to cut relatively hard materials with high precision. The one is more durable than High-speed steel blades	
	<b>[Materials]</b> It is suitable for relatively hard materials.	
	<b>[Corresponding machine]</b> CF/CF2 Series, and CFR-1220/CFS-1313	

Product Name	Product code	Media thickness
Titanium-coated blade 30°	SPB-0047	Up to 5mm
Titanium-coated blade 45°	SPB-0008	Up to 4mm
	<b>[Feature]</b> The blades are suitable to cut materials that need more durability to cut than Carbide blades.	
	<b>[Materials]</b> Carbon containing materials, or Fibrous glass containing materials	
	<b>[Corresponding machine]</b> CF/CF2 Series, and CFR-1220/CFS-1313	

Product Name	Product code	Media thickness
High-speed steel blade 30°	SPB-0048	Up to 7mm
	<b>[Feature]</b> The blade is used to cut up to 7mm thickness of the same materials as High-speed steel blade.	
	<b>[Materials]</b> Natural rubber, Industrial rubber, Rubber cork,(Composite)leather, PVC, Polyethylene film, Softron, Neo sponge, Carbon containing materials, Felt, and campus.	

[Corresponding machine]

CF/CF2 Series, and CFR-1220/CFS-1313

Product Name	Product code	Media thickness
Carbide design blade 30°	SPB-0051	Joint sheet: up to 3mm Fluorine contained resin: up to 5mm



[Feature]

The blade is used to cut up to 10mm thickness of the same materials as Carbide blade.


[Materials]

Joint sheet, and Fluorine contained resin etc.

[Corresponding machine]

CF/CF2 Series, and CFR-1220/CFS-1313

Product Name	Product code	Media thickness
Carbide both blades	SPB-0031	Up to 3mm



[Feature]

It is developed to cut 3mm thickness of joint sheet. It is good for combination cut with Carbide blade 30°. The blade has less deflection as it has φ3mm rod-shaped edge, therefore it is suitable to cut thin materials requiring high accuracy.

[Corresponding machine]

CF/CF2 Series, and CFR-1220

Product Name	Product code	Media thickness
Titanium coated both blades	SPB-0009	Up to 2mm



[Feature]

The blade is 2mm thickness to cut high intensity reflective sheet with high pressure. It is suitable to cut relatively big characters or figures.

[Corresponding machine]

CF/CF2 Series, and CFR-1220

Product Name	Product code	Media thickness
20mm blade	SPB-0055	Up to 20mm



[Feature]

The blade is developed for corrugated board with reciprocating cutting. It has made possible to cut double-faced corrugated board. Although the durability of the blade is lower than its SPB-0065, the price is more affordable. It is recommended for less frequently used customers.

[Corresponding machine]

CF/CF2 Series, and CFR-1220

Product Name	Product code	Media thickness
40mm blade	SPB-0056	Up to 40mm




[Feature]


The blade is developed for foam materials with reciprocating cutting. It is suitable to cut up to 40mm thickness of foam board.


[Corresponding machine]

CFR-1220

Product Name	Product code	Media thickness
--------------	--------------	-----------------

60mm blade	SPB-0062	Up to 60mm
 <p><b>[Feature]</b> The blade is developed for foam materials with reciprocating cutting. It is suitable to cut up to 60mm thickness of foam board.</p> <p><b>[Corresponding machine]</b> CFR-1220</p>		

Product Name	Product code	Media thickness
Carbide blade 2°	SPB-0064	Up to 20mm
 <p><b>[Feature]</b> The blade is developed for foam materials with reciprocating cutting. It is suitable to cut up to 20mm thickness of foam board.</p> <p><b>[Corresponding machine]</b> CF2-RT</p>		

Product Name	Product code	Media thickness
Carbide blade 17°	SPB-0065	Up to 20mm
 <p><b>[Feature]</b> The blade is developed for corrugated board with reciprocating cutting. Although the price is higher than SPB-0055, this blade has higher durability and is used to cut double-faced corrugated board. It is recommended for high frequently used customers.</p> <p><b>[Corresponding machine]</b> CF2-RC</p>		

[✕ close](#)

(C) MIMAKI ENGINEERING CO., LTD. All Rights Reserved.